

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(monitoring<in>metadata) <and> (execution<in>metadata) <and> (usage of product<in>metadata)"

Your search matched 0 of 1137806 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine


IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

Indexed by


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Al](#)

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((usage and product and execution and module and reducer)<in>metadata)"

e-mail

Your search matched 0 of 1137806 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE

Indexed by
 Inspec



Welcome United States Patent and Trademark Office

Search Session History

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Wed, 30 Mar 2005, 11:47:40 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|----|---|
| #1 | (monitoring<in>metadata) <and> (execution<in>metadata) <and> (usage of product<in>metadata) |
| #2 | (monitoring<in>metadata) <and> (execution<in>metadata) <and> (usage of product<in>metadata) |
| #3 | (monitoring<in>metadata) <and> (execution<in>metadata) <and> (usage of product<in>metadata) |
| #4 | ((usage and product and execution and module and reducer)<in>metadata) |
| #5 | ((usage of product and filter and execution and module)<in>metadata) |
| #6 | ((product and execution and module and filter)<in>metadata) |
| #7 | ((product and execution and module and filter)<in>metadata) |

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

concurrent and usage of product and execute and module and

SEARCH


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

concurrent and usage of product and execute and module and filter

Found 42,945 of 151,219

Sort results by

relevance

Display results

expanded form

[Save results to a Binder](#)[Search Tips](#)☐ Open results in a new window[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1 [Fast detection of communication patterns in distributed executions](#)**

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**Full text available: [pdf\(4.21 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [Debugging concurrent programs](#)

Charles E. McDowell, David P. Helmbold

December 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 4Full text available: [pdf\(2.86 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The main problems associated with debugging concurrent programs are increased complexity, the "probe effect," nonrepeatability, and the lack of a synchronized global clock. The probe effect refers to the fact that any attempt to observe the behavior of a distributed system may change the behavior of that system. For some parallel programs, different executions with the same data will result in different results even without any attempt to observe the behavior. Even when the behavior can be ...

3 [Query evaluation techniques for large databases](#)

Goetz Graefe

June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2Full text available: [pdf\(9.37 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

contemporaneously and **usage of product** and **execute** and **module** and **filter**
Found **38,611** of **151,219**

Sort results by

Display results

☒ [Save results to a Binder](#)
☒ [Search Tips](#)
☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 181 - 200 of 200

 Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐
181 [Analysis of navigation behaviour in web sites integrating multiple information systems](#)

Bettina Berendt, Myra Spiliopoulou

 March 2000 **The VLDB Journal — The International Journal on Very Large Data Bases**,

Volume 9 Issue 1

 Full text available: pdf(281.14 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The analysis of web usage has mostly focused on sites composed of conventional static pages. However, huge amounts of information available in the web come from databases or other data collections and are presented to the users in the form of dynamically generated pages. The query interfaces of such sites allow the specification of many search criteria. Their generated results support navigation to pages of results combining cross-linked data from many sources. For the analysis of visitor naviga ...

Keywords: Conceptual hierarchies, Data mining, Query capabilities, Web databases, Web query interfaces, Web usage mining

182 [Run-time adaptation in river](#)

Remzi H. Arpaci-Dusseau

 February 2003 **ACM Transactions on Computer Systems (TOCS)**, Volume 21 Issue 1

 Full text available: pdf(849.04 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present the design, implementation, and evaluation of run-time adaptation within the River dataflow programming environment. The goal of the River system is to provide adaptive mechanisms that allow database query-processing applications to cope with performance variations that are common in cluster platforms. We describe the system and its basic mechanisms, and carefully evaluate those mechanisms and their effectiveness. In our analysis, we answer four previously unanswered and important que ...

Keywords: Performance availability, clusters, parallel I/O, performance faults, robust performance, run-time adaptation

183 [The reuse of uses in Smalltalk programming](#)

Mary Beth Rosson, John M. Carroll

 September 1996 **ACM Transactions on Computer-Human Interaction (TOCHI)**, Volume 3 Issue 3

Refine Search

Search Results -

Terms	Documents
L16 and L6	3

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Wednesday, March 30, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L17</u>	L16 and l6	3	<u>L17</u>
<u>L16</u>	717/120,127,131,139.ccls.	680	<u>L16</u>
	<i>DB=TDBD; PLUR=YES; OP=ADJ</i>		
	(reduc\$ or restrict\$ or filter\$) near5 (convert\$ or translat\$ Or correlat\$)and		
<u>L15</u>	(reflect\$ near6 execut\$ near4 (load\$ or modul\$))and (execut\$ near4 (load\$ or modul\$)) and (contempor\$ or concurrent\$ Or parallel\$)	0	<u>L15</u>
	<i>DB=DWPI; PLUR=YES; OP=ADJ</i>		
	(reduc\$ or restrict\$ or filter\$) near5 (convert\$ or translat\$ Or correlat\$)and		
<u>L14</u>	(reflect\$ near6 execut\$ near4 (load\$ or modul\$))and (execut\$ near4 (load\$ or modul\$)) and (contempor\$ or concurrent\$ Or parallel\$)	0	<u>L14</u>
	<i>DB=JPAB; PLUR=YES; OP=ADJ</i>		
	(reduc\$ or restrict\$ or filter\$) near5 (convert\$ or translat\$ Or correlat\$)and		
<u>L13</u>	(reflect\$ near6 execut\$ near4 (load\$ or modul\$))and (execut\$ near4 (load\$ or modul\$)) and (contempor\$ or concurrent\$ Or parallel\$)	0	<u>L13</u>

DB=EPAB; PLUR=YES; OP=ADJ

L12 (reduc\$ or restrict\$ or filter\$) near5 (convert\$ or translat\$ Or correlat\$)and
(reflect\$ near6 execut\$ near4 (load\$ or modul\$))and (execut\$ near4 (load\$ or
modul\$)) and (contempor\$ or concurrent\$ Or parallel\$) 0 L12

DB=PGPB; PLUR=YES; OP=ADJ

L11 (reduc\$ or restrict\$ or filter\$) near5 (convert\$ or translat\$ Or correlat\$)and
(reflect\$ near6 execut\$ near4 (load\$ or modul\$))and (execut\$ near4 (load\$ or
modul\$)) and (contempor\$ or concurrent\$ Or parallel\$) 1 L11

DB=USPT; PLUR=YES; OP=ADJ

L10 (execut\$ near4 (load\$ or modul\$ or program\$ or code\$) same (usag\$ near4
product\$)) 28 L10

L9 (execut\$ near4 (load\$ or modul\$ or program\$ or code\$) near9 (usag\$ near4
product\$)) 2 L9

L8 L7 and (execut\$ near4 (load\$ or modul\$ or program\$) near9 (usag\$ near4
product\$)) 0 L8

L7 L5 and (execut\$ near4 (load\$ or modul\$)) and (contempor\$ or concurrent\$ Or
parallel\$) 79 L7

L6 L5 and (execut\$ near4 (load\$ or modul\$)) 88 L6

L5 l3 and (usa\$ near8 product\$) 810 L5

L4 L3 and (reflect\$ near6 execut\$ near4 (load\$ or modul\$)) 4 L4

L3 (reduc\$ or restrict\$ or filter\$) near5 (convert\$ or translat\$ Or correlat\$) 81382 L3

L2 L1 and (correlat\$ or translat\$ or relat\$ or convert\$) 1 L2

L1 5499340.pn. 1 L1

END OF SEARCH HISTORY